ELSEVIER

Neuroscience Letters 262 (1999) 222–225

Neuroscience Letters

Author Index to Volume 262

Abe, T., see Maruyama, W., 13
Alfaro, M.J., see Goicoechea, C., 25
Amouyel, P., see Wavrant-DeVrièze, F., 136
Anglade, G., see Marcilhac, A., 89
Armbrust, F., see Mackert, B.-M., 163
Atkinson, J., Panni, M.K., Optic target regulation of NADPH-diaphorase by larval retinal axons in *Drosophila*, 21
Auer, C., see Siebner, H.R., 133
Aziz-Sultan, A., see Weeks, R.A., 155

Babb, T.L., see Mikuni, N., 215
Bagli, M., see Papassotiropoulos, A., 171
Belan, P.V., see Melnick, I.V., 151
Beninger, R.J., see Miranda, A.F., 81
Bisby, M.A., see Ma, W., 195
Boegman, R.J., see Miranda, A.F., 81
Bogdanov, M.B., Ferrante, R.J., Mueller, G., Ramos, L.E., Martinou, J.-C., Flint Beal, M., Oxidative stress is attenuated in mice overexpressing BCL-2, 33
Burghoff, M., see Mackert, B.-M., 163
Bushara, K.O., see Weeks, R.A., 155

Calcutt, N.A., see Ceseña, R.M., 101
Carty, S., see Wavrant-DeVrièze, F., 136
Castaño, E.M., see Morelli, L., 4
Ceseña, R.M., Calcutt, N.A., Gabapentin prevents hyperalgesia during the formalin test in diabetic rats, 101
Chakravarty, D.N., see Mikuni, N., 215
Chakraverty, S., see Wavrant-DeVrièze, F., 136
Chartier-Harlin, M.-C., see Wavrant-DeVrièze, F., 136
Chatterjee, S.S., see Kaehler, S.T., 199
Christi, W., see Mikuni, N., 215
Chung, S., Jung, W., Lee, M.-Y., Inward and outward rectifying potassium currents set membrane potentials in activated rat microglia, 121
Chvanov, M.A., see Melnick, I.V., 151
Colard, C., see Griffond, B., 77
Collet, L., see Perrot, X., 167
Conrad, B., see Siebner, H.R., 133
Cottel, D., see Wavrant-DeVrièze, F., 136
Criscuoli, M., see Lecci, A., 73
Crook, R., see Wavrant-DeVrièze, F., 136
Curio, G., see Mackert, B.-M., 163
Curran, M.D., see Middleton, D., 140

Dang, N., see Weeks, R.A., 155
Dembo, T., see Suzuki, S., 117
Dohi, K., see Ozawa, H., 57
Duman, R.S., see Vaidya, V.A., 1

Ebendal, T., see Ljungberg, C., 29
Edwardson, J.A., see Middleton, D., 140
Elwan, M.A., Ishii, T., Ono, F., Sakuragawa, N., Evidence for the presence of dopamine D_1 receptor mRNA and binding sites in monkey amniotic epithelial cells, 9
Endo, T., see Sato, Y., 49

Fabre, V., see Rioux, A., 113
Feder, O., see Papassotiropoulos, A., 171
Fellmann, D., see Griffond, B., 77
Ferrante, R.J., see Bogdanov, M.B., 33
Flint Beal, M., see Bogdanov, M.B., 33
Frigard, B., see Wavrant-DeVrièze, F., 136
Fujimori, T., see Sakaguchi, M., 17
Fukuda, H., see Ishige, K., 53
Fukuuchi, Y., see Suzuki, S., 117
Funahashi, H., see Ozawa, H., 57
Fuson, K.S., see May, P.C., 219

Garbarino, S., see Sannita, W.G., 147
Garcés, G., see González, C.A., 175
Gebicke-Haerter, P.J., see Kitamura, Y., 129
Gesino, D., see Sannita, W.G., 147
Giambartolomei, G.H., see Morelli, L., 4
Giuliani, S., see Lecci, A., 73
Goate, A., see Wavrant-DeVrièze, F., 136
Gobaille, S., see Schmidt-Mutter, C., 65
Goicoechea, C., Ormazábal, M.J., Alfaro, M.J., Martín, M.I., Effect of salmon-calcitonin on the analgesic effect of selective μ, δ and κ opioid agonists in mice, 25
González, C.A., Garcés, G., Sáez, J.C., Schöbitz, K., Rodríguez, E.M., The ependymocytes of the bovine subcommissural organ are functionally coupled through gap junctions, 175
Gozal, D., Xue, Y.-D., Simakajornboon, N., Hypoxia induces c-Fos protein expression in NMDA but not AMPA glutamate receptor labeled neurons within the nucleus tractus solitarii of the conscious rat, 93
Griffond, B., Risold, P.-Y., Jacquemard, C., Colard, C., Fellmann, D., Insulin-induced hypoglycemia increases preprohypocretin (orexin) mRNA in the rat lateral hypothalamic area, 77

Hájek, I., see Novotná, R., 97
Hallett, M., see Weeks, R.A., 155
Hamon, M., see Rioux, A., 113
Hanley, D.F., see Muthuswamy, J., 191
Hardy, J., see Wavrant-DeVrièze, F., 136
Hery, F., see Marcilhac, A., 89
Heun, R., see Papassotiropoulos, A., 171
Hinoi, E., see Št'astny, F., 105
Holmans, P., see Wavrant-DeVrièze, F., 136
Hsieh, J.-C., Stone-Elander, S., Ingvar, M., Anticipatory coping of pain expressed in the human anterior cingulate cortex: a positron emission tomography study, 61
Hsieh, Y.-L., see Hsu, C., 85

PII: S0304-3940(99)000162-7

Hsu, C., Hsieh, Y.-L., Lue, S.-I., Hsu, H.-K., Sex-specific expression of *N*-methyl D-aspartate receptor (NMDAR) in the preoptic area of neonatal rats, 85
Hsu, H.-K., see Hsu, C., 85

Ince, P.G., see Middleton, D., 140
Ingvar, M., see Hsieh, J.-C., 61
Ishige, K., Ito, Y., Fukuda, H., Characterization of absence seizure-dependent cyclic AMP responsive element- and activator protein 1 DNA-binding activities in lethargic (*lh/lh*) mice, 53
Ishii, T., see Elwan, M.A., 9
Ishiura, S., see Takahashi, N., 45
Ito, C., Shen, H., Toyota, H., Kubota, Y., Sakurai, E., Watanabe, T., Sato, M., Effects of the acute and chronic restraint stresses on the central histaminergic neuron system of Fischer rat, 143
Ito, D., see Suzuki, S., 117
Ito, Y., see Ishige, K., 53

Jác, M., see Novotná, R., 97
Jacquemard, C., see Griffond, B., 77
Jessen, F., see Papassotiropoulos, A., 171
Jhamandas, K., see Miranda, A.F., 81
Ji Zhou, C., see Ozawa, H., 57
Jung, W., see Chung, S., 121

Kaehler, S.T., Sinner, C., Chatterjee, S.S., Philippu, A., Hyperforin enhances the extracellular concentrations of catecholamines serotonin and glutamate in the rat locus coeruleus, 199
Kakimura, J.-i., see Kitamura, Y., 129
Kaur, C., Ling, E.A., Increased expression of transferrin receptors and iron in amoeboid microglial cells in postnatal rats following an exposure to hypoxia, 183
Kehoe, P., see Wavrant-DeVrièze, F., 136
Kellerth, J.-O., see Ljungberg, C., 29
Khalfa, S., see Perrot, X., 167
Kitamura, Y., Kakimura, J-i., Matsuoka, Y., Nomura, Y., Gebicke-Haerter, P.J., Taniguchi, T., Activators of peroxisome proliferator-activated receptor-γ (PPARγ) inhibit inducible nitric oxide synthase expression but increase heme oxygenase-1 expression in rat glial cells, 129
Kubota, Y., see Ito, C., 143

Lambert, J.-C., see Wavrant-DeVrièze, F., 136
Lanfumey, L., see Rioux, A., 113
Lange, W., see Samii, A., 159
Lecci, A., Meini, S., Tramontana, M., Giuliani, S., Criscuoli, M., Maggi, C.A., Capsaicin pretreatment does not alter rat urinary bladder motor responses induced by a kinin B_1 receptor agonist after endotoxin treatment, 73
Lee, M.-Y., see Chung, S., 121
Lenz, F.A., see Muthuswamy, J., 191
Li, H.-Y., see Tsay, H.-J., 41
Lin, C.-H., see Tsay, H.-J., 41
Lin, M.-T., see Tsay, H.-J., 41
Ling, E.A., see Kaur, C., 183
Ling, E.-A., see Ng, Y.-K., 207
Liu, Y.-C., Sachs, B.D., Erectile function in male rats after lesions in the lateral paragigantocellular nucleus, 203
Ljungberg, C., Novikov, L., Kellerth, J.-O., Ebendal, T., Wiberg, M., The neurotrophins NGF and NT-3 reduce sensory neuronal loss in adult rat after peripheral nerve lesion, 29
Loizzo, A., see Sannita, W.G., 147
Lovestone, S., see Wavrant-DeVrièze, F., 136
Ludwig, M., see Papassotiropoulos, A., 171
Lue, S.-I., see Hsu, C., 85

Ma, W., Bisby, M.A., Increase of galanin mRNA in lumbar dorsal root ganglion neurons of adult rats after partial sciatic nerve ligation, 195
Mackert, B.-M., Mackert, J., Wübbeler, G., Armbrust, F., Wolff, K.-D., Burghoff, M., Trahms, L., Curio, G., Magnetometry of injury currents from human nerve and muscle specimens using superconducting quantum interferences devices, 163
Mackert, J., see Mackert, B.-M., 163
Maggi, C.A., see Lecci, A., 73
Maier, W., see Papassotiropoulos, A., 171
Maitre, M., see Schmidt-Mutter, C., 65
Marcilhac, A., Anglade, G., Hery, F., Siaud, P.H., Olfactory bulbectomy increases vasopressin, but not corticotropin-releasing hormone, content in the external layer of the median eminence of male rats, 89
Martín, M.I., see Goicoechea, C., 25
Martinou, J.-C., see Bogdanov, M.B., 33
Martres, M.-P., see Rioux, A., 113
Maruyama, W., Abe, T., Tohgi, H., Naoi, M., An endogenous MPTP-like dopaminergic neurotoxin *N*-methyl(*R*)salsolinol in the cerebrospinal fluid decreases with progression of Parkinson's disease, 13
Massimilla, S., see Sannita, W.G., 147
Matsumoto, H., see Ozawa, H., 57
Matsumoto, K., see Ozawa, H., 57
Matsumura, E., see Sakaguchi, M., 17
Matsuoka, Y., see Kitamura, Y., 129
Mawhinney, H., see Middleton, D., 140
May, P.C., Robison, P.M., Fuson, K.S., Stereoselective neuroprotection by novel 2,3-benzodiazepine non-competitive AMPA antagonists against non-NMDA receptor-mediated excitotoxicity in primary rat hippocampal cultures, 219
McKeith, I., see Middleton, D., 140
Meini, S., see Lecci, A., 73
Melnick, I.V., Chvanov, M.A., Belan, P.V., Rat hippocampal neurons maintain their own GABAergic synaptic transmission in culture, 151
Micheyl, C., see Perrot, X., 167
Middleton, D., Mawhinney, H., Curran, M.D., Edwardson, J.A., Perry, R., McKeith, I., Morris, C., Ince, P.G., Neill, D., Frequency of HLA-A and B alleles in early and late-onset Alzheimer's disease, 140
Mikuni, N., Babb, T.L., Chakravarty, D.N., Christi, W., Time course of transient expression of GDNF protein in rat granule cells of the bilateral dentate gyri after unilateral intrahippocampal kainic acid injection, 215
Miranda, A.F., Sutton, M.A., Beninger, R.J., Jhamandas, K., Boegman, R.J., Quinolinic acid lesion of the nigrostriatal pathway: effect on turning behaviour and protection by elevation of endogenous kynurenic acid in rattus norvegicus, 81
Mizushima, H., see Ozawa, H., 57
Moessner, R., see Rioux, A., 113
Morelli, L., Giambartolomei, G.H., Prat, M.I., Castaño, E.M., Internalization and resistance to degradation of Alzheimer's Aβ1–42 at nanomolar concentrations in THP-1 human monocytic cell line, 4
Morris, C., see Middleton, D., 140
Morris, J.C., see Wavrant-DeVrièze, F., 136

Mueller, G., see Bogdanov, M.B., 33
Muller, C., see Schmidt-Mutter, C., 65
Murphy, D.L., see Rioux, A., 113
Muthuswamy, J., Tran, P., Rangarajan, R., Lenz, F.A., Hanley, D.F., Thakor, N.V., Somatosensory stimulus entrains spindle oscillations in the thalamic VPL nucleus in barbiturate anesthetized rats, 191

Nagata, E., see Suzuki, S., 117
Nakai, Y., see Ozawa, H., 57
Nakajo, S., see Ozawa, H., 57
Naoi, M., see Maruyama, W., 13
Neill, D., see Middleton, D., 140
Ng, Y.-K., Yong, V.-W., Ling, E.-A., Microglial reaction in some CNS nuclei following nerves transection in BALB/c and interferon-γ gene knockout mice, 207
Niijima, A., Reflex effects from leptin sensors in the white adipose tissue of the epididymis to the efferent activity of the sympathetic and vagus nerve in the rat, 125
Nomura, Y., see Kitamura, Y., 129
Novikov, L., see Ljungberg, C., 29
Novotná, R., Jác, M., Hájek, I., Novotn, I., Arginine vasotocin activates phosphoinositide signal transduction system and potentiates N-acetyltransferase activity in the rat pineal gland, 97
Novotn, I., see Novotná, R., 97

Ogita, K., see Št'astny, F., 105
Ogliastro, C., see Sannita, W.G., 147
Ondarza-Rovira, R., see Rocha, L., 211
Ono, F., see Elwan, M.A., 9
Ormazábal, M.J., see Goicoechea, C., 25
Owen, M.J., see Wavrant-DeVrièze, F., 136
Ozawa, H., Shioda, S., Dohi, K., Matsumoto, H., Mizushima, H., Ji Zhou, C., Funahashi, H., Nakai, Y., Nakajo, S., Matsumoto, K., Delayed neuronal cell death in the rat hippocampus is mediated by the mitogen-activated protein kinase signal transduction pathway, 57

Pérez-Tur, J., see Wavrant-DeVrièze, F., 136
Pallotta, M., Segieth, J., Whitton, P.S., Chronic but not acute clomipramine alters the effect of NMDA receptor regulation of dopamine release in rat frontal cortex, 187
Panni, M.K., see Atkinson, J., 21
Papassotiropoulos, A., Bagli, M., Feder, O., Jessen, F., Maier, W., Rao, M.L., Ludwig, M., Schwab, S.G., Heun, R., Genetic polymorphism of cathepsin D is strongly associated with the risk for developing sporadic Alzheimer's disease, 171
Perrot, X., Micheyl, C., Khalfa, S., Collet, L., Stronger bilateral efferent influences on cochlear biomechanical activity in musicians than in non-musicians, 167
Perry, R., see Middleton, D., 140
Peter Lesch, K., see Rioux, A., 113
Petersen, R.C., see Wavrant-DeVrièze, F., 136
Philippu, A., see Kaehler, S.T., 199
Prat, M.I., see Morelli, L., 4

Ramos, L.E., see Bogdanov, M.B., 33
Rangarajan, R., see Muthuswamy, J., 191
Rao, M.L., see Papassotiropoulos, A., 171
Rauschecker, J.P., see Weeks, R.A., 155
Rice, F., see Wavrant-DeVrièze, F., 136
Rioux, A., Fabre, V., Peter Lesch, K., Moessner, R., Murphy, D.L., Lanfumey, L., Hamon, M., Martres, M.-P., Adaptive changes of serotonin 5-HT_{2A} receptors in mice lacking the serotonin transporter, 113
Risold, P.-Y., see Griffond, B., 77
Robison, P.M., see May, P.C., 219
Rocha, L., Ondarza-Rovira, R., Characterization of benzodiazepine receptor binding following kainic acid administration: an autoradiography study in rats, 211
Rodríguez, E.M., see González, C.A., 175
Rudrasingham, V., see Wavrant-DeVrièze, F., 136

Sáez, J.C., see González, C.A., 175
Sachs, B.D., see Liu, Y.-C., 203
Sakaguchi, M., Fujimori, T., Satoh, T., Satoh, M., Takeuchi, M., Matsumura, E., Effects of opioids on neuronal survival in culture of embryonic chick dorsal root ganglion neurons, 17
Sakashita, Y., see Yamamoto, T., 179
Sakuragawa, N., see Elwan, M.A., 9
Sakurai, E., see Ito, C., 143
Samii, A., Unger, J., Lange, W., Vascular endothelial growth factor expression in peripheral nerves and dorsal root ganglia in diabetic neuropathy in rats, 159
Sannita, W.G., Loizzo, A., Garbarino, S., Gesino, D., Massimilla, S., Ogliastro, C., Adrenocorticotropin-related modulation of the human EEG and individual variability, 147
Sasagawa, N., see Takahashi, N., 45
Sato, M., see Ito, C., 143
Sato, Y., Endo, T., Differential expression of sialoglycoproteins in the rat hippocampus and its changes during aging, 49
Satoh, M., see Sakaguchi, M., 17
Satoh, T., see Sakaguchi, M., 17
Schöbitz, K., see González, C.A., 175
Schmidt, K.-F., Divalent cations modulate glutamate receptors in retinal horizontal cells of the perch (*Perca fluviatilis*), 109
Schmidt-Mutter, C., Gobaille, S., Muller, C., Maitre, M., Prodynorphin and proenkephalin mRNAs are increased in rat brain after acute and chronic administration of gamma-hydroxybutyrate, 65
Schwab, S.G., see Papassotiropoulos, A., 171
Segieth, J., see Pallotta, M., 187
Senda, T., Yu, W., Kinesin cross-bridges between neurosecretory granules and microtubules in the mouse neurohypophysis, 69
Shen, H., see Ito, C., 143
Shioda, S., see Ozawa, H., 57
Shirotani, K., Takahashi, K., Tahira, T., Effects of presenilin N-terminal fragments on production of amyloid β peptide and accumulation of endogenous presenilins, 37
Siaud, P.H., see Marcilhac, A., 89
Siebner, H.R., Auer, C., Conrad, B., Abnormal increase in the corticomotor output to the affected hand during repetitive transcranial magnetic stimulation of the primary motor cortex in patients with writer's cramp, 133
Simakajornboon, N., see Gozal, D., 93
Sinner, C., see Kaehler, S.T., 199
Št'astny, F., Hinoi, E., Ogita, K., Yoneda, Y., Ferrous iron modulates quinolinate-mediated [^{3}H]MK-801 binding to rat brain synaptic membranes in the presence of glycine and spermidine, 105
Stone-Elander, S., see Hsieh, J.-C., 61
Sutton, M.A., see Miranda, A.F., 81
Suzuki, K., see Takahashi, N., 45

Suzuki, S., Tanaka, K., Nagata, E., Ito, D., Dembo, T., Fukuuchi, Y., Cerebral neurons express interleukin-6 after transient forebrain ischemia in gerbils, 117

Tahira, T., see Shirotani, K., 37
Takahashi, K., see Shirotani, K., 37
Takahashi, N., Sasagawa, N., Suzuki, K., Ishiura, S., Synthesis of long trinucleotide repeats in vitro 45
Takeuchi, M., see Sakaguchi, M., 17
Tanaka, K., see Suzuki, S., 117
Taniguchi, T., see Kitamura, Y., 129
Terwilliger, R.M.Z., see Vaidya, V.A., 1
Thakor, N.V., see Muthuswamy, J., 191
Tian, B., see Weeks, R.A., 155
Tohgi, H., see Maruyama, W., 13
Toyota, H., see Ito, C., 143
Trahms, L., see Mackert, B.-M., 163
Tramontana, M., see Lecci, A., 73
Tran, P., see Muthuswamy, J., 191
Tsay, H.-J., Li, H.-Y., Lin, C.-H., Yang, Y.-L., Yeh, J.-Y., Lin, M.-T., Heatstroke induces c-fos expression in the rat hypothalamus, 41
Tunstall, N., see Wavrant-DeVrièze, F., 136

Unger, J., see Samii, A., 159

Vaidya, V.A., Terwilliger, R.M.Z., Duman, R.S., Role of 5-HT_{2A} receptors in the stress-induced down-regulation of brain-derived neurotrophic factor expression in rat hippocampus, 1

Wübbeler, G., see Mackert, B.-M., 163
Watanabe, T., see Ito, C., 143
Wavrant-DeVrièze, F., Rudrasingham, V., Lambert, J.-C., Chakraverty, S., Kehoe, P., Crook, R., Amouyel, P., Wu, W., Holmans, P., Rice, F., Pérez-Tur, J., Frigard, B., Morris, J.C., Carty, S., Cottel, D., Tunstall, N., Lovestone, S., Petersen, R.C., Chartier-Harlin, M.-C., Goate, A., Owen, M.J., Williams, J., Hardy, J., No association between the alpha-2 macroglobulin I1000V polymorphism and Alzheimer's disease, 136
Weeks, R.A., Aziz-Sultan, A., Bushara, K.O., Tian, B., Wessinger, C.M., Dang, N., Rauschecker, J.P., Hallett, M., A PET study of human auditory spatial processing, 155
Wessinger, C.M., see Weeks, R.A., 155
Whitton, P.S., see Pallotta, M., 187
Wiberg, M., see Ljungberg, C., 29
Williams, J., see Wavrant-DeVrièze, F. 136
Wolff, K.-D., see Mackert, B.-M., 163
Wu, W., see Wavrant-DeVrièze, F., 136

Xue, Y.-D., see Gozal, D., 93

Yamamoto, T., Sakashita, Y., Effect of nocistatin and its interaction with nociceptin/orphanin FQ on the rat formalin test, 179
Yang, Y.-L., see Tsay, H.-J., 41
Yeh, J.-Y., see Tsay, H.-J., 41
Yoneda, Y., see Št'astny, F., 105
Yong, V.-W., see Ng, Y.-K., 207
Yu, W., see Senda, T., 69